Power and the Municipality of Power and Power

PROPERTY OWNER'S GUIDE TO BUILDING PERMITS

Building permits help protect you, your home, and the interests of your community by making sure the project is structurally sound and follows the Ontario Building Code, Municipal Zoning and other applicable laws.

Whether building a new home, or renovating an existing one, you want to ensure the result is safe and legal for you and any future occupants.

Part of that process is consulting and hiring your own contractors, engineers, architects and other professionals. The Municipality's Chief Building Official (CBO) is not available as a consultant for construction or any part there of. The role of CBO is to ensure your building plans are in compliance with the Ontario Building Code, Municipal By-Laws, that safety regulations are followed.

This guide will provide you with a general outline of the Building Permit process, applicable regulations, and Municipal building fees. It does not account for all possible steps or potential requirements as each project is reviewed and evaluated on it's own. This is simply a first step in helping you navigate the process.

In this guide you will find:

- Important information for obtaining a building permit in the Municipality of Powassan
- Consequences for building without a permit
- Guide to the Building Permit process
- > Responsibilities of the Permit Holder
- Checklist for Building Permit Applications
- ➤ Building Permit Application (Including Schedule 1: Designer Information and Schedule 2: Sewage System Installer Information)
- ➤ Energy Efficiency Design Summary: Performance & Other Acceptable Compliance Methods form
- Energy Efficiency Design Summary: Prescriptive Method Form
- Building Permit Fee Guide
- Chief Building Inspector's Code of Conduct

IMPORTANT INFORMATION FOR OBTAINTING A BUILDING PERMIT IN THE MUNICIPALITY OF POWASSAN

1. The Chief Building Official (CBO) works Monday through Thursday from 8:30 a.m. until 4:30 p.m., and Friday's from **9:00 a.m. until 12:00 p.m**. Please be aware of this schedule when planning your project and inspection expectations.

Chief Building Official: Mark Martin

Office: 705-724-2813 ext. 228 Email: mmartin@powassan.net

- 2. General permit approval can usually be completed within 10 working days for residential, any exceptions will be determined by the CBO.
- 3. Permits for all projects must be posted on the jobsite. Any trades working outside the scope of the permit will be issued an Order to Comply and subject to a minimum fee of \$150.00, and \$60.00 for each visit from the CBO, or a Municipal Building Inspector (MBI) in order to ensure compliance.
- 4. Any work being done without the proper permit will be issued a Stop Work Order and is subject to a *minimum* fee of \$300.00 plus 5% of construction costs to a *maximum* of \$1,000.00, *plus* the fee of the required permit.
- 5. If work that needs to be inspected has been covered over an Order to Uncover will be issued. There will be a fee of \$100.00 for each additional inspection from the CBO or MBI in order to ensure compliance.
- 6. All jobsites are expected to be kept clean of trash and debris and cleaned at the end of each day to maintain safety standards. Dumpsters and smaller trash receptacles shall be on the jobsite.
- 7. When you are requesting a permit for new construction, renovation, addition, accessory building, or deck, be prepared to:
 - submit two (2) sets of construction documents, have plans bound and stapled
 - describe all work to be performed
 - plans must be submitted to scale $-\frac{1}{2}$ " or $\frac{1}{8}$ " = 1'-0" preferred; 11"x17" sheets are acceptable provided the font size is clearly readable
- 8. For Final Occupancy:
 - All work must be finished and all trades must be completed
 - Green Space, pool permits, landscaping, etc. must be completed prior to final inspection
 - No items of any kind are to be moved in prior to the Occupancy Certificate being issued

Permits and inspections are required for, but not limited to:

- Any new building, including farm and accessory buildings with an area greater than 10 square metres or 107 sq ft.
- Any addition to an existing building (such as adding a garage, carport, rooms or another storey); any chimney, fireplace or wood stove installation
- Adding or renovating structural features such as a deck, balcony, dormers or porches
- Excavating to construct a basement, crawl space or footing under an existing building, or a weeping tile system
- Replacing or rebuilding roofs (re-shingling not included), or windows and doors involving structural changes
- Renovations or repairs having structural components such as removing or building walls; moving existing plumbing, mechanical, electrical components; or any alterations that affect the structure's compliance with building regulations.
- Change of use
- Change of occupancy
- Signs having structural components may require a permit
- New swimming pool installation
- Demolition

NOTE: Compliance with the Zoning Bylaw is required even when a building permit is not required. For further information, visit the Municipal website at: www.powassan.net

BUILDING WITHOUT A PERMIT

Not having a proper permit for construction that has already started could mean serious and potentially costly consequences for the property owner including:

- A Building Without a Permit penalty. This fee is in addition to the cost of the proper permit, with the minimum fee being \$300.00 plus 5% construction costs to a maximum of \$1,000.00
- A delay in building while the permit is processed because all work must stop during this time. The original timeline and fees to process an application, including the Building Without a Permit penalty, still apply.
- Work already done may need to be undone, depending on the situation.
- More work may need to be done than what property owner originally planned and/or budgeted for. For example, additional structural or mechanical work, if the work done does not meet proper standards.
- The property owner could face legal and/or financial issues such as impacts on selling their property or making an insurance claim.

NOTE: The property owner is responsible for paying these fees or penalties, even if a contractor assured you that permits were not needed.

GUIDE TO THE BUILDING PERMIT PROCESS

These steps are prepared by the Voyageur Chapter of the Ontario Building Official's Association (OBOA) to help property owner's in the Parry Sound/Nipissing area better understand the steps to follow in obtaining a building permit and to inform property owners of what is expected during the course of construction.

Although this guide covers some of the most important regulations and procedures that may be required, it cannot cover them completely and as such it must not in any way be interpreted as a legal substitute for the law.

This guide also outlines what is expected of the property owner, as well as what is required of the contractor during the course of construction.

Property owners are urged to contact the CBO, during working hours, if there are any questions during the permit process.

There are generally five (5) basic steps to obtaining a building permit in the Municipality of Powassan. Keep in mind every project is different and some may include additional requirements, depending on scope and length of the project.

Determine if the project complies with zoning and applicable laws.

Building site locations must conform to the setbacks and requirements in accordance with the Official Plan and Zoning Bylaws. This information can be obtained from the Planning Department, by visiting www.powassan.net or by contacting the Municipal office during business hours.

Depending on the project, before a permit can be issued approvals from the following agencies may be required:

- North Bay Mattawa Conservation Authority
 Septic system Approvals; fill, construction, alteration to waterways permit
- Ministry of Transportation (MTO)
 Entrance and/or land use permits on lands adjacent to Provincial highways
- Ministry of Natural Resources
 Working in water or building over water
- Oceans and Fisheries
 The Conservation Authority can advise of this requirement
- The Municipal Public Works Department Entrance permit; Water and sewer hook-ups

The Tarion Registration Number for new home construction is required when a person other than the property owner is the builder or contractor: www.newhome.on.ca

2. Plans, either made by the property owner or a qualified professional should be drafted and included with the application.

All construction will require plans, but as with most projects, a good set of plans will facilitate the permit process. Smaller projects may allow the property owner to draw up their own plans, as long as they are to scale, while other projects will require an Architect or Engineer's stamp of approval.

Sufficient detail is required to determine whether or not the proposed work will conform to proper building procedures.

If plans are required, then two copies will need to be submitted along with the application. One set will be retained by the Municipality after examination for conformance to the Building Code or any other applicable law. The other set will be returned to be kept on the construction site and available during inspection(s).

- Foundation Plan this plan is to be dimensioned showing size and location of beams, bearing walls, support columns (including footings), and foundation thickness; types of material should be shown, such as concrete blocks, poured concrete, wood or other materials; other information such as the size of floor joists, including spans, spacings and grade; stair locations and required framing around the stairs including headroom.
- Floor Plans One floor plan is required for each storey; floor plans should be dimensioned and identify - rooms and spaces, all doors and windows including their sizes and lintel size, location of all plumbing fixtures, all electric smoke alarms and CO detectors, stair locations and framing required around the stairs with headroom; roof framing plans/truss layout design; plumbing and mechanical layout.
- Wall Cross Section This will typically show the exterior wall components from foundation to roof, inclusive, with all materials identified and dimensions including spacing; will show heights of storeys, grade levels and weeping tiles; give a brief description of the compacted sub-grade.
- Elevation Drawings These will show the sides, front and rear views of the proposed building with exterior finishes, doors, windows, grades, decks, entrances and roof styles.

3. Complete and sign a Building Permit Application.

Download the application package at:

<u>www.powassan.net</u> under Municipal Services/Departments/Building or pick one up at the Municipal office during business hours. With the application, in most cases, a plot or site plan which will include the true dimensions of the lot, the location and dimensions of all existing and proposed buildings and building setbacks from all property lines will be required. Remember to fill out the appropriate permit checklist to avoid delays in permit completion.

Remember that all construction must conform to the Ontario Building Code. It is the responsibility of the builder to ensure compliance.

- 4. Once approved construction can start and the CBO called for inspection(s).
- 5. Close the permit by scheduling a final inspection with the CBO.

RESPONSIBILITIES OF THE PERMIT HOLDER

- 1. The Permit must be displayed in a prominent place on the construction site.
- 2. A copy of your approved plans must be kept on the site and available during inspection.
- Inspectors must be able to examine the work they are to inspect. The work to be inspected must not be covered before the inspector has been notified and the required inspection completed.
- 4. The permit holder *must* contact the CBO, for approval of any changes or modifications that are necessary to the approved plans during construction.
- 5. The permit holder *must* notify the CBO's office at least 48 hours in advance of mandatory inspections in order to move forward. A notice is not effective until written or oral notice is received by the CBO.

Please refer to the Mandatory Inspection Check Sheet, included with your permit, for a complete list of inspections.

The foregoing information is provided for your convenience as a guide only and is in no way to be considered to be conclusive of all regulations and other applicable law. Each project is unique and therefore communication with the CBO is essential. Once a permit is approved the permit holder will receive all necessary information specific to their project.



CHECKLIST FOR ALL BUILDING PERMIT APPLICATIONS

The following are required to be submitted as a complete application. If all the appropriate information is not provided, then the application will be returned as incomplete. ☐ The complete Ontario Application Form and all applicable schedules. ☐ Two (2) sets of all submitted drawings and plans. All Drawings must be legible and to scale. Return this checklist with the appropriate boxes checked next to the drawings etc. that you have submitted. ☐ For Change of Use, plumbing or other permits not listed below contact the Building Department. New buildings, additions and renovations must include items from: 1 □ 2 □ 3 □ Refer to Attachment Schedule 1 – Designer Information, as a guideline for required drawings and plans. It may be possible to combine certain drawings with others, as long as all necessary design information is provided (example: plumbing, mechanical, wood trusses, and electrical services). ☐ Site Plan ☐ Building Elevations ☐ Floor Plan ☐ Foundation Plan ☐ Framing Plan ☐ Section & Detail Plans ☐ Plumbing Plan ☐ Roof Plan ☐ Heating Ventilation Air-Conditioning Plan ☐ Electrical Services Plan Deck attached or unattached to a structure *must* include items from: $1 \square 2 \square 3 \square$ ☐ Site Plan: Detailed, legible plan showing all existing and proposed buildings and their sq. ft.(sq.m), and location to lot lines, septic systems, water and shore road allowances or crown reserve. ☐ Foundation, piers, floor and section plans: Drawings that show size and spacing or piers or foundation, beams, joists, decking and railing/guard details. Dock *must* include items from: 1 □ 2 □ 3 □

☐ Site Plan: Show location and dimensions of all existing docks, boathouses and proposed docks.

You can find checklists and applications at: www.powassan.net

Include all setbacks to lot lines and distances from all shorelines.



Application for a Permit to Construct or Demolish This form is authorized under subsection 8(1.1) of the Building Code Act, 1992

| For use by Principal Authority | | | | | | | |
|-----------------------------------|---------------------------------|----------------------------|--------------------------|------------------------------|--|--|--|
| Application number: | | Permit number (if differen | t): | | | | |
| Date received: | | Roll number: | | | | | |
| Application submitted to: MUNICIP | ALITY OF POWASSAN | 1 | | | | | |
| A. Project Information | | | | | | | |
| Building number, street name | | | Unit number | Lot/con. | | | |
| Municipality | Postal Code | Plan number/oth | ner description | | | | |
| Project value est. \$ | | Area of work (m | 2) | | | | |
| B. Purpose of Application | | | | | | | |
| | ition to Alter ting Building | ration/repair Demo | lition Conditiona Permit | I | | | |
| Proposed use of building | Curre | nt use of building | | | | | |
| A and the second | | | | | | | |
| | plicant is: Owner or | Authorized agent of | | | | | |
| Last name | First name | Corporation or pa | artnership | | | | |
| Street address | | <u> </u> | Unit number | Lot/con. | | | |
| Municipality | Postal code | Province | E-mail | | | | |
| Telephone number | Fax | | Cell number | | | | |
| D. Owner (if different from app | icant) | | | | | | |
| Last name | First name | Corporation or pa | ırtnership | TSSOURCE CONTRACTOR TO SECUL | | | |
| Street address | | | Unit number | Lot/con. | | | |
| Municipality | Postal code | Province | E-mail | _ [| | | |
| Telephone number | Fax | l | Cell number | | | | |
| | <u></u> , | | | | | | |

| E. Builder (optional) | | | | | |
|--|------------------------------|--------------------------|-----------------|-------------|-------------|
| Last name | First name | Corporation or pa | rtnership (if a | applicable) | |
| Street address | Unit n | Unit number Lot/con. | | | |
| Municipality | Postal code | Province | E-mai | il | |
| Telephone number | Fax | | Cell n | number | |
| F. Tarion Warranty Corporation (Ontar | io New Home Wa | rranty Program) | | | |
| i. Is proposed construction for a new home as of If no, go to section G. | defined in the <i>Ontari</i> | o New Home Warranties | Plan Act? | Yes | S No |
| ii. Is registration required under the Ontario Ne | w Home Warranties | Plan Act? | | Yes | No No |
| iii. If yes to (ii) provide registration number(s): _ | | | | • | |
| G. Required Schedules | | | | | |
| i. Attach Schedule 1 for each individual who rev ii. Attach Schedule 2 where application is to cor | | | | | |
| H. Completeness and compliance with | applicable law | | | | |
| This application meets all the requirements of Building Code (the application is made in the applicable fields have been completed on the schedules are submitted). | correct form and by | the owner or authorized | l agent, all | Yes | S No |
| Payment has been made of all fees that are regulation made under clause 7(1)(c) of the is made. | | | | Yes | No No |
| ii. This application is accompanied by the plans resolution or regulation made under clause 7 | | | ble by-law, | Yes | No No |
| iii. This application is accompanied by the information and documents prescribed by the applicable by- law, resolution or regulation made under clause 7(1)(b) of the <i>Building Code Act, 1992</i> which enable the chief building official to determine whether the proposed building, construction or demolition will contravene any applicable law. | | | | | |
| iv. The proposed building, construction or demo | olition will not contra | vene any applicable law. | | Yes | No No |
| I. Declaration of applicant | | | | | |
| | | | | | |
| 1 | | | | ded | clare that: |
| (print name) | | | | | |
| The information contained in this appli documentation is true to the best of m If the owner is a corporation or partner | y knowledge. | • | • | | er attached |
| Date | Signati | ure of applicant | | | _ |

Personal information contained in this form and schedules is collected under the authority of subsection 8(1.1) of the *Building Code Act, 1992*, and will be used in the administration and enforcement of the *Building Code Act, 1992*. Questions about the collection of personal information may be addressed to: a) the Chief Building Official of the municipality or upper-tier municipality to which this application is being made, or, b) the inspector having the powers and duties of a chief building official in relation to sewage systems or plumbing for an upper-tier municipality, board of health or conservation authority to whom this application is made, or, c) Director, Building and Development Branch, Ministry of Municipal Affairs and Housing 777 Bay St., 2nd Floor. Toronto, M5G 2E5 (416) 585-6666.

Schedule 1: Designer Information

Use one form for each individual who reviews and takes responsibility for design activities with respect to the project.

| A. Project Information | | | | |
|--|--|--|--|---|
| Building number, street name | | | Unit no. | Lot/con. |
| Municipality | Postal code | Plan number/ other description | | |
| B. Individual who reviews a | ınd takes responsibili | ty for design activities | | |
| Name | | Firm | | |
| Street address | | | Unit no. | Lot/con. |
| Municipality | Postal code | Province | E-mail | |
| Telephone number | Fax number | | Cell number | |
| C. Design activities underta | ken by individual ide | ntified in Section B. [Bu | ilding Code Ta | able 3.5.2.1. of |
| House Small Buildings Large Buildings Complex Buildings Description of designer's work | Build Detec | C – House ing Services ction, Lighting and Power Protection | Plumb | ng Structural ing – House ing – All Buildings e Sewage Systems |
| D. Declaration of Designer | | | | |
| | (print name) | | declare that (ch | oose one as appropriate): |
| I review and take res C, of the Building Cod Individual BCIN: | ponsibility for the design with the design win the design with the design with the design with the design with | work on behalf of a firm regis firm is registered, in the app | tered under subs propriate classes/ | ection 3.2.4.of Division categories. |
| Firm BCIN: | | | | |
| under subsection 3.2 | .5.of Division C, of the Bu | and am qualified in the appro ilding Code. | priate category a | s an "other designer" |
| | | | 16 | |
| | | n and qualification requireme | | |
| | | qualification: | | Ť |
| I certify that: | · | 18 | | |
| The information contained I have submitted this appropriate the submitted of the s | | to the best of my knowledge ge and consent of the firm. | | |
| Date | . | Signature of Designer | | |

NOTE:

- 1. For the purposes of this form, "individual" means the "person" referred to in Clause 3.2.4.7(1) (c).of Division C, Article 3.2.5.1. of Division C, and all other persons who are exempt from qualification under Subsections 3.2.4. and 3.2.5. of Division C.
- 2. Schedule 1 is not required to be completed by a holder of a license, temporary license, or a certificate of practice, issued by the Ontario Association of Architects. Schedule 1 is also not required to be completed by a holder of a license to practise, a limited license to practise, or a certificate of authorization, issued by the Association of Professional Engineers of Ontario.

Schedule 2: Sewage System Installer Information

| A. Project Information | | | | |
|--|---|--|---------------------------------------|---|
| Building number, street name | | | Unit number | Lot/con. |
| Municipality | Postal Code | Plan number/ other | er description | |
| B. Sewage system insta | ller l | Mary Control of the Mary Control of the Control of | | |
| Is the installer of the sewage sy | | ess of constructing o | n-site installing renairing | servicing cleaning or |
| emptying sewage systems, in a | ccordance with Building Co | de Article 3.3.1.1, Div | vision C? | scratcing, cleaning of |
| Yes (Continue to Section | on C) No (| Continue to Section E | | er unknown at time of ation (Continue to Section E) |
| C. Registered installer ir | nformation (where answ | wer to B is "Yes") | | |
| Name | - | | BCIN | |
| Street address | , | · · · · · · | Unit number | Lot/con. |
| Municipality | Postal Code | Province | E-mail | |
| Telephone number | Fax | l | Cell number | |
| D. Qualified supervisor i | nformation (where ans | wer to section B i | s "Yes") | |
| Name of qualified supervisor(s) | | ALTERNATION DE CONTRACTOR DE C | ification Number (BCIN) | |
| E. Declaration of Applica | ant: | | | |
| | | | | |
| I | | | | declare that: |
| (prii | nt name) | | | |
| I am the applicant for t submit a new Schedul | the permit to construct the e 2 prior to construction wh | sewage system. If the nen the installer is kno | e installer is unknown at tir own; | ne of application, I shall |
| <u>OR</u> | | | | |
| I am the holder of the known. | permit to construct the sew | age system, and am | submitting a new Schedul | e 2, now that the installer is |
| I certify that: | | | | |
| • | ined in this schedule is true | e to the best of my kn | owledge. | |
| 2. If the owner is a corpo | oration or partnership, I hav | e the authority to bind | the corporation or partne | rship. |
| | | | | |
| Date | | Signature of applica | ant | |



Energy Efficiency Design Summary: Performance & Other Acceptable Compliance Methods

(Building Code Part 9, Residential)

This form is used by a designer to demonstrate that the energy efficiency design of a house complies with the building code using the Performance or Other Acceptable Compliance Methods described in Subsections 3.1.2. and 3.1.3. of SB-12,

This form must accurately reflect the information contained on the drawings and specifications being submitted. Refer to Supplementary Standard SB-12 for details about building code compliance requirements. Further information about energy efficiency requirements for new buildings is available from the provincial building code website or the municipal building department.

For use by Principal Authority

| | | Modelio | eruncation (Authbet | | |
|--|---------------------------------|-----------|--|----------------------------|-------------------------------|
| A. Project Information | | | | | |
| Building number, street name | | | | Unit number | Lol/Con |
| Municipality | Postal code | Reg. Plai | n number / other descripti | on | |
| B. Compliance Option (indicate the | building code compliance option | on being | employed in this hou | use design] | |
| ☐ SB-12 Performance* [SB-12 - 3.1.2 | * Attach energy perfo | orman | ce results using a | an approved s | oftware (see guide) |
| ☐ ENERGY STAR®* [SB-12 - 3.1.3.] | * Attach Builder Option | on Pac | kage [BOP] forn | n | |
| ☐ <i>R-2000</i> ® *[SB-12 - 3.1.3.] | * Attach R-2000 HOT | T2000 | Report | | |
| C. Project Building Design Con | ditions | _ | | | |
| | leating Equipment Efficie | | pace Heating Fue | I Source | Mark Barrier Cont. |
| □ Zone 1 (< 5000 degree days) | | | | Propane | |
| □ Zone 2 (≥ 5000 degree days) | ı ≥ 84% < 92% AFUE | | Oil | Electric | □ Earth Energy |
| Ratio of Windows, Skylights & Glass (W | , S & G) to Wall Area | 0 | ther Building Cha | aracteristics | |
| Area of walls =ft² W, S & G % = | | 0 | Log/Post&Beam Slab-on-ground Air Conditioning Air Source Heat F | □ Walkout Bas □ Combo Unit | Grade □ ICF Basement ement |
| Area of W, S & G =ft ² | | | Ground Source H | | HP) |
| SB-12 Performance Reference Building | Design Package indicatin | | | | |
| SB-12 Referenced Building Package (| input design package): F | ⊃ackag | je: | Table: | |
| D. Building Specifications [provid | | | | | |

| Building Component | Minimum RSI / R values or Maximum U-Value ⁽¹⁾ | | Building Component | Efficiency Ratings |
|--|--|-----------|---|--------------------|
| Thermal Insulation | Nominal | Effective | Windows & Doors Provide U-Value(1) or ER rating | |
| Ceiling with Attic Space | | | Windows/Sliding Glass Doors | |
| Ceiling without Attic Space | | | Skylights/Glazed Roofs | |
| Exposed Floor | | | Mechanicals | |
| Walls Above Grade | | | Heating Equip.(AFUE) | |
| Basement Walls | | | HRV Efficiency (SRE% at 0°C) | |
| Slab (all >600mm below grade) | | | DHW Heater (EF) | · . |
| Slab (edge only ≤600mm below grade) | | | DWHR (CSA B55.1 (min. 42% efficiency)) | # Showers_ |
| Slab (all ≤600mm below grade, or heated) | | | Combined Space / Dom. Water Heating | |

⁽¹⁾ U value to be provided in either W/(m2.K) or Btu/(h.ft2.F) but not both.

| E. Performance Design Verification [Subsection 3.1.2. Per | formance Compliance] | |
|--|--|---|
| The annual energy consumption using Subsection 3.1.1. SI =1000MJ) | 3-12 Reference Building | Package isGJ (1 GJ |
| The annual energy consumption of this house as designed | isGJ | |
| The software used to simulate the annual energy use of the | building is: | |
| The building is being designed using an air tightness baseli | ne of: | |
| ☐ OBC reference ACH, NLA or NLR default values (no | depressurization test i | required) |
| ☐ Targeted ACH, NLA or NLR. Depressurization test to | meetA | CH50 or NLR or NLA |
| Reduction of overall thermal performance of the pro envelope of the compliance package it is compared | | pe is not more than 25% of the |
| ☐ Standard Operating Conditions Applied (A-3.1.2.1 - 4 | 1.6.2) | |
| ☐ Reduced Operating Conditions for Zero-rated homes | Applied (A-3.1.2.1 - 4 | .6.2.5) |
| □ On Site Renewable(s): Solar: | <u> </u> | |
| Other Types: | | |
| F. ENERGY STAR or R-2000 Performance Design Volume The NRCan "ENERGY STAR for New Homes Standard building design result in the building performance mee of the Supplementary Standard SB12 (A-3.1.3.1). | d Version 12.6 " techni | cal requirements, applied to this |
| The NRCan, "2012 R-2000 Standard" technical require performance meeting or exceeding the prescriptive per SB12 (A-3.1.3.1). | ements, applied to this le erformance requirement | ouilding design result in the building ts of the Supplementary Standard |
| Performance Energy Modeling Professional | | |
| Energy Evaluator/Advisor/Rater/CEM Name and company: | Accreditation or Evaluator/ | Advisor/Rater License # |
| ENERGY STAR or R-2000 | | |
| Energy Evaluator/Advisor/Rater/ Name and company: | Evaluator/Advisor/Rater Li | cense # |
| G. Designer(s) [name(s) & BCIN(s), if applicable, of person(s) provided in the control of the co | | |
| Qualified Designer: Declaration of designer to have reviewed and take | | work. |
| Name | BCIN | Signature |
| | | |

Form authorized by OHBA, OBDA, LMC8O. Revised December 1, 2016

Guide to the Energy Efficiency Design Summary Form for Performance & Other Acceptable Compliance Methods

COMPLETING THE FORM

B. Compliance Options

Indicate the compliance option being used.

- <u>SB-12 Performance</u> refers to the method of compliance in Subsection 3.1.2. of SB-12. Using this approach the designer must use recognized energy simulation software (such as HOT2000 V10.51 or newer), and submit documents which show that the annual energy use of the proposed building is equal to or less than a prescriptive (referenced) building package.
- <u>ENERGY STAR</u> houses must be designed to <u>ENERGY STAR</u> requirements and verified on completion by a licensed energy evaluator and/or service organization. The <u>ENERGY STAR</u> BOP form must be submitted with the permit documents.
- R-2000 houses must be designed to the R-2000 Standard and verified on completion by a licensed energy evaluator and/or service organization. The HOT2000 report must be submitted with the permit documents.

C. Project Design Conditions

Climatic Zone: The number of degree days for Ontario cities is contained in Supplementary Standard SB-1 Windows, Skylights and Glass Doors: If the ratio of the total gross area of windows, sidelights, skylights, glazing in doors and sliding glass doors to the total gross area of walls is more than 17%, higher efficiency glazing is required. The total area is the sum of all the structural rough openings. Some exceptions apply. Refer to 3.1.1.1. of SB-12 for further details.

Fuel Source and Heating Equipment Efficiency: The fuel source and efficiency of the proposed heating equipment must be specified in order to determine which <u>SB-12 Prescriptive</u> compliance package table applies. Other Building Conditions: These construction conditions affect <u>SB-12 Prescriptive</u> compliance requirements.

D. Building Specifications

Thermal Insulation: Indicate the RSI or R-value being proposed where they apply to the house design. Refer to SB-12 for further details.

E. Performance Design Summary

A summary of the performance design applicable only to the **SB-12 Performance** option.

F. ENERGY STAR or R-2000 Performance Method

Design to ENERGY STAR or R-2000 Standards.

G. House Designer

The building code requires designers providing information about whether a building complies with the building code to have a BCIN. Exemptions apply to architects, engineers and owners designing their own house.

BUILDING CODE REQUIREMENTS FOR AIRTIGHTNESS IN NEW HOUSES

All houses must comply with increased air barrier requirements in the building code. Notice of air barrier completion must be provided and an inspection conducted prior to it being covered.

The air leakage rates in Table 3.1.2.1. are not requirements. The Table is not intended to require or suggest that the building meet those airtightness targets. They are provided only as default or reference values for the purpose of annual energy simulations, should the builder/owner decide to perform such simulations. They are given in three different metrics; ACH, NLA, NLR. Any one of them can be used. They can be used as a default values for both a reference and proposed building or, where an air leakage test is conducted and credit for airtightness is claimed, the airtightness values in Table 3.1.2.1. can be used for the reference building and the actual leakage rates obtained from the air leakage test can be used as inputs for the proposed building.

OBC Reference Default Air Leakage Rates (Table 3.1.2.1.)

| Detached dwelling | 3.0 ACH50 | NLA 2.12 cm ² /m ² | NLR 1.32 L/s/m ² |
|-------------------|-----------|--|-----------------------------|
| Attached dwelling | 3.5 ACH50 | NLA 2.27 cm ² /m ² | NLR 1.44 L/s/m ² |

The building code requires that a blower door test be conducted to verify the air tightness of the house during construction if the <u>SB-12 Performance</u> option is used and an air tightness of less than 3.0 ACH @ 50 Pa (or NLA or NLR equivalent) in the case of detached houses, or 3.5 ACH @ 50 Pa (or NLA or NLR equivalent) in the case of attached houses is necessary to meet the required energy efficiency standard.

ENERGY EFFICIENCY LABELING FOR NEW HOUSES

ENERGY STAR and R-2000 may issue labels for new homes constructed under their energy efficiency programs. The building code does not currently regulate or require new home labeling.



Energy Efficiency Design Summary: Prescriptive Method

(Building Code Part 9, Residential)

This form is used by a designer to demonstrate that the energy efficiency design of a house complies with the building code using the prescriptive method described in Subsection 3.1.1. of SB-12. This form is applicable where the ratio of gross area of windows/sidelights/glazing in doors and sliding glass doors to the gross area of peripheral walls is not more than 22%.

| | | WINDS | For use by P | rincipal Au | athority | Market Committee | 10 S TA | A THE REAL PROPERTY OF THE PARTY OF THE PART |
|--|--|-----------------|--------------------------------------|-----------------|---------------------------|-----------------------------------|--|--|
| Application No: | | | | Model/0 | Certification Number | | | |
| A Project Information | | | | | | | | |
| A. Project Information | | | | | | 1 | 1: | 14 |
| Building number, street name | | | | | | Unit number | Lot | /Con |
| Municipality | Postal code | | | | an number / other descrip | ition | 1 | |
| B. Prescriptive Complian | nce [indicat | te the bu | illding code co | mpliance | package being empl | oyed in this house | design] | |
| SB-12 Prescriptive (input design | gn package |): Pa | ckage: | | Tabl | e: | | |
| C. Project Design Conditio | ns | | | | | | | |
| Climatic Zone (SB-1): | | ng Equ | ipment Effi | ciency | Space Heating I | Fuel Source | dineven | |
| □ Zone 1 (< 5000 degree days) | | 2% AFU | | _ | □ Gas | □ Propane | D S | olid Fuel |
| □ Zone 2 (≥ 5000 degree days) | □≥84 | 1 % < 92 | 2% AFUE | | □ Oil | □ Electric | | arth Energy |
| Ratio of Windows, Skylights & Gla | ass (W, S & | G) to | Wall Area | APPROPRIES | Other Building | | C C S CONTROL | SERVICE CONTRACTOR |
| | | - / | | | | m ICF Above | Grade | □ ICF Basemen |
| Area of walls =m² or | _ft² ,,, | 2000 | | | | d | | #.io. |
| | | 5 & 6 7 | % = | | | ng 🗆 Combo Uni | | |
| | Litilize w | indow a | veranino: □' | /ee ⊓Nn | □ Air Sourced He | • 2000 B | | |
| Area of W, S & G =m ² or | f W, S & G =m² orft² Utilize window averaging: □Ye | | 69 1110 | □ Ground Source | | | | |
| D. Building Specifications | | | | | | | | |
| ICF (3.1.1.2.(5) & (6) / 3.1.1.3.(5) Combined space heating and dom Airtightness substitution(s) | | | | (3.1.1.2.(| | tted Substitution: | 3 | · · · |
| Airtightness test required | | | | | | | | |
| Refer to Design Guide Attached) 🛘 Tabl | le 3.1.1.4.C | Requ | iired: | | Permit | tted Substitution: | | |
| | | Requ | ired: | | Permit | tted Substitution: | | |
| Building Component | | um RSI | / R values U-Value ⁽¹⁾ | | Building Comp | onent | | ency Ratings |
| Thermal Insulation | Nomir | nal | Effective | Windo | ws & Doors Prov | vide U-Value ⁽¹⁾ or EF | R rating | |
| Ceiling with Attic Space | | | | Windo | ws/Sliding Glass | Doors | T | |
| Ceiling without Attic Space | +- | | | | nts/Glazed Roofs | | † | |
| Exposed Floor | + | | | Mecha | | | _1 | |
| Walls Above Grade | _ | | · | | g Equip.(AFUE) | | Т | |
| Basement Walls | | | | | fficiency (SRE% at | 0°C) | + | |
| Slab (all >600mm below grade) | | | | | Heater (EF) | , | | |
| Slab (edge only ≤600mm below grade) | | | | DWHR | (CSA B55.1 (min. 4 | 2% efficiency)) | | # Showers |
| Slab (all ≤600mm below grade, or heater | ed) | | | Combin | ned Heating Syste | ·m | | |
| (1) U value to be provided in either W/(m | n²•K) or Btu/(h | | | ! !! ! £ | | | · | |
| | A CHARLEST WAR WAS A STREET | | | | | | n meets tne | building code |
| Qualified Designer Declaration of d | Jesigner to na | ave revie | ed and take | | bility for the design w | | 10.00400300 | |
| Name | | | | BCIN | | Signature | | |
| | | | | | | | | |
| | | | | | | i | | |

Guide to the Prescriptive Energy Efficiency Design Summary Form

This form must accurately reflect the information contained on the drawings and specifications being submitted. Refer to Supplementary Standard SB-12 for details about building code compliance requirements. Further information about energy efficiency requirements for new buildings is available from the provincial building code website or the municipal building department.

The building code permits a house designer to use one of four energy efficiency compliance options:

- 1. Comply with the SB-12 Prescriptive design tables (this form is for this option (Option 1)),
- 2. Use the SB-12 Performance compliance method, and model the design against the prescriptive standards.
- 3. Design to Energy Star, or
- 4. Design to R2000 standards.

COMPLETING THE FORM

B. Compliance Options

Indicate the compliance option being used.

<u>SB-12 Prescriptive</u> requires that the building conforms to a package of thermal insulation, window and
mechanical system efficiency requirements set out in Subsection 3.1.1. of SB-12. Energy efficiency design
modeling and testing of the building is not required under this option. Certain substitutions are permitted. In
which case, the applicable airtightness targets in Table 3.1.1.4.A must be met.

C. Project Design Conditions

Climatic Zone: The number of degree days for Ontario cities is contained in Supplementary Standard SB-1 Windows, Skylights and Glass Doors: If the ratio of the total gross area of windows, sidelights, skylights, glazing in doors and sliding glass doors to the total gross area of walls is more than 17%, higher efficiency glazing is required. If the ratio is more than 22%, the SB-12 Prescriptive option may not be used. The total area is the sum of all the structural rough openings. Some exceptions apply. Refer to 3.1.1.1. of SB-12 for further details. Fuel Source and Heating Equipment Efficiency: The fuel source and efficiency of the proposed heating equipment must be specified in order to determine which SB-12 Prescriptive compliance package table applies. Other Building Conditions: These construction conditions affect SB-12 Prescriptive compliance requirements.

D. Building Specifications

Thermal Insulation: Indicate the RSI or R-value being proposed where they apply to the house design. Under the <u>SB-12 Prescriptive</u> option, alternative ICF wall insulation is permitted in certain conditions where other design elements meet higher standards. Refer to SB-12 for further details. Where effective insulation values are being used, the Authority Having Jurisdiction may require supporting documentation.

BUILDING CODE REQUIREMENTS FOR AIRTIGHTNESS IN NEW HOUSES

All houses must comply with increased air barrier requirements in the building code. Notice of air barrier completion must be provided and an inspection conducted prior to it being covered.

The air leakage rates in Table 3.1.1.4.A are not requirements. This provision is a voluntary provision for when credits for airtightness are claimed. Credit for air tightness allows the designer to substitute the requirements of compliance packages as set out in Table 3.1.1.4.B or 3.1.1.4.C. Neither the air leakage test nor compliance with airtightness targets given in Table 3.1.1.4.A are required, unless credit for airtightness is claimed. Table 3.1.1.4.A provides airtightness targets in three different metrics; ACH, NLA, NLR. Any one of them can be used. OBC Reference Default Air Leakage Rates (Table 3.1.1.4.A)

| 8uilding Type | Airtightness Targets | | | | | | |
|-------------------|----------------------|--------------------------------------|--|-------------------------|----------------------------|--|--|
| duliding Type | ACH @ 50 Pa | NLA @ 10 Pa | | NLR @ |) 50 Pa | | |
| Detached dwelling | 2.5 | 1.26 cm ² /m ² | 1.81 in ² /100ft ² | 0.93 L/s/m ² | 0.18 cfm50/ft ² | | |
| Attached dwelling | 3.0 | 2.12 cm ² /m ² | 3.06 in ² /100ft ² | 1.32 L/s/m ² | 0.26 cfm50/ft ² | | |

The building code requires that a blower door test be conducted to verify the air tightness of the house during construction if the <u>SB-12 Prescriptive</u> option with airtightness credit being applied. Results of the airtightness test may need to be submitted to the Authority Having Jurisdiction. Airtightness of less than 2.5 ACH @ 50 Pa (or NLA or NLR equivalent) in the case of detached houses, or 3.0 ACH @ 50 Pa (or NLA or NLR equivalent) in the case of attached houses is necessary to meet the required energy efficiency standard.

E. House Designer

The building code requires designers providing information about whether a building complies with the building code to have a BCIN. Exemptions apply to architects, engineers and owners designing their own house.



BUILDING PERMIT FEE GUIDE

No permit shall be issued until all fees have been paid in full.

| Classes of Permits | Fees |
|--|--|
| Minimum fee for processing and issuance of permits, except when noted otherwise in this By-Law | re specifically \$120.00 |
| All construction (new, additions, renovations, accessory, | etc.) \$9.00 per \$1,000 of Construction Cost |
| Demolition | |
| Complete or partial demolition | \$120.00 |
| Other Building Procedures | |
| Temporary Building | \$120.00 |
| Swimming pools | \$180.00 |
| Outstanding Work Order | \$120.00 |
| 911 Signs | \$120.00 |
| Administrative Fees | |
| Additional Plan Review (Resubmission) | Cost Recovery |
| Additional Permit Fee (Revision) | Cost Recovery |
| Change of Use Permit: Part 9 Building | \$100.00 |
| Part 3 Building | \$300.00 |
| Conditional Permit Fee | Based on proposals |
| If no inspections called for within 12 months after permit | date \$60.00 |
| Premature/Additional Inspections | \$100.00/hr |
| Transfer of Permit | \$120.00 |
| Work Orders | |
| Construction without a permit; Stop Work Orders | Minimum \$300.00 plus 5% of construction costs to a maximum of \$1,000.00. |

Refund on building Fees

Building Permits that are withdrawn or abandoned may be refunded as follows:

- 1. 35% if the permit has been issued and no field inspections have been performed
- 2. 5% or \$55.00, which ever is greater, shall additionally be deducted for each field inspection that has been performed after the permit has been issued.
- 3. No refund will be made one year from the date the permit is issued.
- 4. No refund will be issued if a permit has been revoked.

Notwithstanding the above, no refund is to be made of an amount less than the minimum permit fee.

CODE OF CONDUCT FOR BUILDING OFFICIALS

This Code of Conduct applies to the Chief Building Official and inspectors appointed by the Municipality of Powassan under the building code Act, 1992 in the exercise of a power or the performance of a duty under the building Code Act, 1992 or the building Code. The purposes of this Code of Conduct are to promote appropriate standards of behaviour and enforcement actions by the Chief Building Official and inspectors to prevent practices, which may constitute an abuse of power, including unethical or illegal practices, and to promote appropriate standards of honesty and integrity in the exercise of a owner of the performance of a duty under the Building Code Act, 1992 or the Building Code by the Chief Building Official and inspectors.

The Chief Building Official and inspectors of the Municipality of Powassan undertake to:

- 1. Act in the public interest, particularly with regard to the safety of buildings and structures.
- Conduct themselves with a high degree of personal integrity and ethics, and in particular they should not place themselves or permit themselves to be placed, in a position which would constitute, or on an objective basis give a reasonable apprehension, of a conflict of interest or breach of trust.
- 3. Exercise powers in accordance with the provisions of the building Code Act, 1992, the Building Code and other applicable law that governs the authorization, construction, occupancy and safety of buildings and designated structures.
- 4. Apply all relevant building laws, regulations and standards in a consistent and fair manner, independent of any influence by interested parties.
- 5. Act honestly, reasonably and professionally in the discharge of their duties.
- 6. Not divulge any confidential or sensitive information or material that they become privy to in the performance of their duties, except in accordance with laws governing freedom of information and protection of privacy.

Breaches of the Code of Conduct

Any person who has reason to believe that this Code of Conduct has been breached may bring the matter to the attention of the Chief Building Official. Where the allegation concerns the actions of the chief Building Official, the matter may be brought to the attention of the CAO of the Municipality of Powassan, to whom the Chief Building Official reports.

Disciplinary actions arising from violations of this Code of Conduct are the responsibility of the Municipality of Powassan as the employer and will be based on the severity and frequency of the violation in accordance with relevant employment or collective agreements, employment standards and privacy requirements.